

lygienic Homes Begin Here

Anti Microbia





Optimal Release of Silver ions





13485: 2016 9001: 2015 Disinfection Certified



Silver Protect
Whole House Application

Water Treatment Device To Disinfect Water





Specifications

Sealed Endcap

Brand

Dimensions (Metric)

End Modifications

Fix Type

Inlet/Outlet Gap

ORSi Media

UPVC Outer Shell Flowrate (Metric)

Applications

Maximum Operating Tem. (Celsius)36.5° c Temperature Range (Celsius)

Overall Diameter (Metric)

Overall Length (Metric)

Overall Width (Metric)

Pressure Range (Metric)

Replacement Interval

Product Series

Claims

Wateri ZER

460mm x 90mm

Sealed Housing NA

Home

Dip Type

4.5-36.5° c

90mm 460mm

125psi (8.6Bar)


No Replacement

Silver Protect

Improved Lather, Smooth Hair

Enhanced Wettable property

Increased DO, Water Disinfection





SILVER IONS IN WATER



Eliminates Microbes

WHO Recommends
Ag+ for Disinfection
of Water



Optimal Release of Silver ions





Gargle with Safe & Fresh Silver Water



WaterIZER


Fresh Hygiene Bath

Soft water | Increased foam | Soft Skin



Soft and Conditioned Hair

Our Body is more than 70% water



Improves Over All Health Conditions

Ag+ in water eliminates microbes The water processed through our Unit is for general utility & Is recommended for drinking Only after necessary filtration.



WHO Recommended Ag+ for Safe Drinking Water



13485: 2016 9001: 2015



Looks Interesting?

Contact Us 7996995555

www.turboflosciences.com











